



Managing Genetic Conditions

A genetic condition is caused by an abnormality in an individual's DNA. These abnormalities can range from a single gene mutation to the addition or loss of an entire chromosome.

Genetic conditions have been identified in most species, including humans, and more than 400 genetic conditions have been identified in beef cattle. Approximately one quarter of these conditions are caused by a single gene mutation, making them easy to manage through DNA testing.

Historically, before DNA tests were available, genetic conditions were managed by extensive progeny testing or by eradicating all known relatives of the affected animal. This resulted in production losses and the potential loss of superior genetics.

Developments in DNA testing and gene probability technology now allow breeders to more easily identify carriers of genetic conditions and manage it such that production losses and spread of the mutation can be minimised.

How do I identify an animal with a genetic condition?

The physical expression of genetic conditions can vary significantly. When large numbers of calves are dying or being born with similar abnormalities, both environmental and genetic causes are suspected.


Consequently, there is a need for the surveillance and reporting of abnormal calves to breed societies, vets or beef technical officers if genetic conditions are to be identified. Photographs and DNA samples from affected animals should be collected to aid in the identification of the condition.

How are genetic conditions inherited?

Genetic conditions have different modes of inheritance. Many have a simple recessive inheritance of a single gene mutation making them easy to manage. These single gene recessive genetic conditions result in three possible genotypes:

1. Free – animal is normal and carries two copies of the normal form and no copies of the mutation
2. Affected – affected or abnormal animal which carries two copies of the mutation
3. Carrier – animal which looks normal, but carries one copy of the mutation which can be passed onto offspring

This diagram provides an illustration of the possible mating outcomes from different mating combinations for a single gene recessive genetic condition.



Tools Available to Manage Genetic Conditions

Developments in DNA technology have resulted in diagnostic tests being available for several single gene recessive genetic conditions.

The ability for breeders to collect a DNA sample (hair, semen, blood or tissue) and send it to The Aberdeen-Angus Cattle Society for testing has significantly assisted the management of genetic conditions.

The Aberdeen-Angus Cattle Society uses GeneProb software to calculate the probability of an animal being a carrier of genetic conditions such as AM, NH, CA and DD.

Managing Genetic Conditions

There is no “one size fits all” strategy for managing genetic conditions. Before embarking on a management strategy breeders should consider:

- the economic impact of the condition
- the frequency of the condition within the herd and/or breed
- the availability and cost of DNA tests
- researching the genetic condition status of any animals being brought into the herd
- legal obligations about disclosing the carrier status of sale animals
- the Aberdeen-Angus Cattle Society regulations

Generally, the management of genetic conditions can be broken into two components.

1) Managing the Incidence of Affected Animals

In simple terms, the incidence of animals affected by the genetic condition can be managed by avoiding mating carrier cows to a carrier bull. This may be relatively easy to manage in pedigree herds, but can be extremely difficult in commercial herds where limited pedigree records are kept. For this reason it is recommended pedigree or commercial herds, should use the Aberdeen-Angus Cattle Society animal search facility to determine the GeneProb status of bulls they used. This will help to determine the level of risk in the herd for the particular genetic condition.

2) Managing the Incidence of Carriers

Managing the frequency of carrier animals is important in pedigree herds. Where available, the use of DNA testing to determine if an animal is either free or a carrier for a genetic condition broadens the options for breeders looking to manage or eradicate the mutation. Use of software like GeneProb to calculate the risk of particular untested individuals being carriers enables DNA testing efforts to focus on high risk animals.

Breeders should carefully consider and develop a management strategy that will be used to manage each genetic condition. Some examples of management strategies are as follows:

- Conduct strategic DNA testing of highly influential animals (eg. sires, donor dams, prominent dams) to calculate the probability of animals being carriers, and better identify the “at risk” bloodlines. Further testing can then be conducted to better isolate the carriers present in the herd.
- DNA test at risk animals in the breeding herd to identify carrier animals. Rather than being sold, carrier females can be retained for use as recipient dams in embryo transfer programs.
- Continue to use carrier animals in the breeding program by mating them only to tested free sires/dams and testing the progeny. As outlined previously, mating a carrier to a free animal will result in 100% of calves being unaffected by the genetic condition, with 50% of the resulting offspring being free of the condition and 50% being carriers. This approach is of particular benefit when the carrier animal is of high genetic merit and the producer wants to utilise these desirable genes in the breeding program.
- Only use sires that are tested free or are expected to be free by inheritance to ensure the incidence of the condition does not increase. This is a common approach for genetic conditions of low economic impact.

In all situations, if carrier animals are sold, full disclosure of their genetic condition status should be provided.

Genetic Test Codes

The genetic condition status of Aberdeen-Angus animals is routinely displayed for the following genetic conditions:

- Arthrogryposis Multiplex (AM)
- Contractual Arachnodactyly (CA)
- Neuropathic Hydrocephalus (NH)
- Developmental Duplications (DD)

An animal’s genetic condition status is based on DNA samples provided by breeders.

Disclaimer: *The Aberdeen-Angus Cattle Society makes no statements, representations or warranties about the accuracy or completeness of, any information relating to the status of a particular animal; and, disclaims all responsibility for information and all liability (including without limitation, liability in negligence) for all expenses, losses, damages, and costs you may incur as a result of information being inaccurate or incomplete in any way for any reason.*


Description of the Genetic Test Codes

| | |
|------------------------------|--|
| AMF CAF NHF DDF | Indicates that the sample submitted for this animal has been tested and found to be free of the causative mutation responsible for the genetic condition (AM, CA, NH or DD). This animal is homozygous free, meaning that it has two copies of the normal variant (or allele) of the gene. |
| AMC CAC NHC DDC | Indicates that the sample submitted for this animal has been tested and found to be a carrier of the causative mutation responsible for the genetic condition (AM, CA, NH or DD). This animal is heterozygous for the mutation, meaning that it has one mutant allele and one normal allele. This animal could pass the mutation to approximately half of its progeny. |
| AM_% CA_% NH_% DD_% | Indicates that, based on pedigree information supplied by the breeder of the animal, the animal has a chance to be a carrier of the mutation responsible for the genetic condition (AM, CA, NH or DD) but has not been tested . The higher the indicated percentage, the larger the chance the animal may be a carrier. To verify the status of this animal, The Aberdeen-Angus Cattle Society recommends that testing be undertaken prior to using this animal for breeding purposes. |
| AMFU CAFU NHFU DDFU | Indicates that, based on pedigree information supplied by the breeder of the animal, the animal is expected to be free of the mutation responsible for the genetic condition (AM, CA, NH or DD) but has not been tested . This animal has not been tested for the causative mutation and The Aberdeen-Angus Cattle Society gives no guarantee as to the animal’s “free” status. |
| AMA CAA NHA DDA | Indicates that the sample submitted for this animal has been tested and the animal found to be homozygous for the mutation responsible for the genetic condition (AM, CA, NH or DD) and have two copies of the mutant variant of the gene. Note, for some recessive conditions such as DD, not all homozygous animals appear to display phenotypic expression of the condition. |

Downloading Genetic Conditions Results File

Below is a simple set of instructions for downloading and opening a genetic condition result file.

1. Go to www.aberdeen-angus.co.uk
2. On top right hand side of home page click online database



Web Slice Gallery Suggested Sites (3)


Search Search

 THE ABERDEEN-ANGUS CATTLE SOCIETY

Online Database


ACTIVITIES YOUTH DEVELOPMENT BREEDERS RESOURCES EVENTS NEWS & FEATURES CONTACT

3. click on member on-line registry




[Member On-Line Registry](#) [Click Here](#)

MEMBERS ONLY - Download Sire Summary files and your BREEDPLAN Herd Reports. Create and submit registrations and performance data on-line. New users - please contact AACCS to obtain your password.

 THE ABERDEEN-ANGUS CATTLE SOCIETY

4. enter your login details.



The Aberdeen-Angus Cattle Society Signon


Authorisation Required

Members wishing to use this site to access their own herd records and use the online registration & performance data entry facilities, will initially require authorization. To obtain such authorization and an initial password, contact The Society by e-mailing your request, including your name/address/membership number/herd name to, caroline@aberdeen-angus.co.uk

Authorised members wishing to access this site must provide a Member I.D. (their AACCS Membership No.) and a valid Password.

| | |
|--|--------------------------|
| * Member I.D.: | <input type="text"/> |
| * Password: | <input type="password"/> |
| <small>To change your password, enter your Member I.D. and current password above and your new password below.</small> | |
| New Password: | <input type="password"/> |
| New Password Validation: | <input type="password"/> |

Clear Signon

 THE ABERDEEN-ANGUS CATTLE SOCIETY

5. Once logged in, on top right hand side of page click download files



Aberdeen-Angus Members Page

[Mating Predictor](#) [Member Enquiry](#) [Sale Catalogues](#) [Semen Catalogues](#) [Download Files](#) [Online Transactions](#)

6. In the file name field locate the GeneProb files available as a PDF or CSV file

| | |
|--|--|
| GP HERD STATUS CA 274506.pdf | |
| GP HERD STATUS CA 274506.csv | |
| GP HERD STATUS DD 276337.pdf | |
| GP HERD STATUS DD 276337.csv | |

The PDF File lists the % probability of animals in your herd for that particular defect

You will be given the option to save or sort CSV file. Once open your animal idents will be listed in column E and their genetic defects listed in column L. You may need to expand columns in order to see the full header. You can then sort these listings in excel.

If you are experiencing any difficulty in accessing downloads or wish any further explanation on genetic defects please contact helena@breedplan.co.uk